Brain Research, 591 (1992) 357–358
Elsevier Science Publishers B.V.

Author Index

Akaoka, H., see Lin, J.S. (591) 319
Alam, M.N., see Mallick, B.N. (591) 8
Asanuma, M., see Ogawa, N. (591) 171

Bansinath, M., see Shukla, V.K. (591) 176
Barth, D.S. and Di, S.
Topographical analysis of epileptiform potentials in rat somatosensory cortex: the interictal to ictal transition (591) 33
Bäurle, J., Grover, B.G. and Grüsser-Cornehls, U.
Plasticity of GABAergic terminals in Deiters' nucleus of weaver mutant and normal mice: a quantitative light microscopic study (591) 305
Bishop, G.A., see Kerr, C.W. (591) 253
Blaha, C.D., see Wood, E.R. (591) 151
Bowyer, J.F., Nakanishi, A., Houchi, H., Dreyer, E., Sterling, C., Masserano, J.S., Tank, A.W. and Weiner, N.
Phosphorylation and activation of tyrosine hydroxylase in PC18 cells: a cell line derived from rat pheochromocytoma PC12 cells (591) 261
Breese, G.R., see Duncan, G.E. (591) 181
Brines, M.L. and Robbins, R.J.
Inhibition of $\alpha 2/\alpha 3$ sodium pump isoforms potentiates glutamate neurotoxicity (591) 94
Brown, P.D., see Garner, C. (591) 137

Canal, N., see Nemni, R. (591) 248
Capocchi, G., Zampolini, M. and Larson, J.
Theta burst stimulation is optimal for induction of LTP at both apical and basal dendritic synapses on hippocampal CA1 neurons (591) 332
Carvalho, A.P., see Duarte, C.B. (591) 27
Cascieri, M.A., see Goh, J.W. (591) 165
Chi, O.Z., see Sinha, A.K. (591) 146
Chicchi, G.G., see Goh, J.W. (591) 165
Chou, H., see Ogawa, N. (591) 171
Clark, F.M. and Proudfit, H.K.
Anatomical evidence for genetic differences in the innervation of the rat spinal cord by noradrenergic locus coeruleus neurons (591) 44
Collewijn, H., see Tan, H.S. (591) 337
Colton, C.A., see Yao, J. (591) 88
Cotman, C.W., see Cummings, B.J. (591) 271
Coury, A., see Wood, E.R. (591) 151
Cummings, B.J., Yee, G.J. and Cotman, C.W.
bFGF promotes the survival of entorhinal layer II neurons after perforant path axotomy (591) 271
Cussó, R., see Garriga, J. (591) 277

Dafny, N., see Li, J. (591) 109
Debilly, G., see Lin, J.S. (591) 319
De Sarro, A., see De Sarro, G. (591) 209
De Sarro, G., Meldrum, B.S., De Sarro, A. and Patel, S.
Excitatory neurotransmitters in the lateral habenula and pedunculopontine nucleus of rats modulate limbic seizures induced by pilocarpine (591) 209
Di, S., see Barth, D.S. (591) 33
Dreyer, E., see Bowyer, J.F. (591) 261
Duarte, C.B., Ferreira, I.L., Santos, P.F., Oliveira, C.R. and Carvalho, A.P.
Ca^{2+}-Dependent release of [^{3}H]GABA in cultured chick retina cells (591) 27
Dumont, M., see Shukla, V.K. (591) 176
Duncan, G.E., Little, K.Y., Kirkman, J.A., Kaldas, R.S., Stumpf, W.E. and Breese, G.R.
Autoradiographic characterization of [^{3}H]imipramine and [^{3}H]citalopram binding in rat and human brain: species differences and relationships to serotonin innervation patterns (591) 181

Eaton, M.J., see Tian, Y. (591) 116
Ebling, F.J.P., see Hastings, M.H. (591) 20
Erminio, C., see Nemni, R. (591) 248

Feasey-Truger, K.J., Li, B.-H. and Ten Bruggencate, G.
Lesions of the medial septum which produce deficits in working/spatial memory do not impair long-term potentiation in the CA3 region of the rat hippocampus in vivo (591) 296
Ferreira, I.L., see Duarte, C.B. (591) 27
Finnegan, K.T. and Karler, R.
Role for protein synthesis in the neurotoxic effects of methamphetamine in mice and rats (591) 160
Fort, P., see Lin, J.S. (591) 319
Fox, S.E., see Stewart, M. (591) 122
French, A.S., see Zhang, B.G. (591) 351

Galeazza, M.T., Stucky, C.L. and Seybold, V.S.
Changes in [^{125}I]hCGRP binding in rat spinal cord in an experimental model of acute, peripheral inflammation (591) 198
Garcia, M.L., see Goh, J.W. (591) 165
Garner, C. and Brown, P.D.
Two types of chloride channel in the apical membrane of rat choroid plexus epithelial cells (591) 137
Garriga, J. and Cussó, R.
Effect of starvation on glycogen and glucose metabolism in different areas of the rat brain (591) 277
Getting, P.A., see Richerson, G.B. (591) 79
Goh, J.W., Kelly, M.E.M., Pennefather, P.S., Chicchi, G.G., Cascieri, M.A., Garcia, M.L. and Kaczorowski, G.J.
Effect of charybdotoxin and leiurotoxin I on potassium currents in bullfrog sympathetic ganglion and hippocampal neurons (591) 165
Grosse, J., see Hastings, M.H. (591) 20
Grover, B.G., see Bäurle, J. (591) 305
Grüsser-Cornehls, U., see Bäurle, J. (591) 305

Hastings, M.H., Mead, S.M., Vindlacheruvu, R.R., Ebling, F.J.P., Maywood, E.S. and Grosse, J.
Non-photic phase shifting of the circadian activity rhythm of Syrian hamsters: the relative potency of arousal and melatonin (591) 20
Henry, J.L., see Hong, Y. (591) 62
Herbison, A.E.
Identification of a sexually dimorphic neural population immunoreactive for calcitonin gene-related peptide (CGRP) in the rat medial preoptic area (591) 289
Hescheler, J., see Kleppisch, T. (591) 283
Hirata, H., see Ogawa, N. (591) 171
Hong, Y. and Henry, J.L.
Intrathecal administration of non-NMDA receptor agonists increases arterial pressure and heart rate in the rat (591) 62
Houchi, H., see Bowyer, J.F. (591) 261
Hulsebosch, C.E., see Urschel, B.A. (591) 223

Iannaccone, S., see Nemni, R. (591) 248
Izzo, P.N., Sykes, R.M. and Spyer, K.M.
γ-Amino butyric acid immunoreactive structures in the nucleus tractus solitarius: a light and electron microscopic study (591) 69

Ji, Y.-P., see Li, J. (591) 109
Jouvet, M., see Lin, J.S. (591) 319

Kaczorowski, G.J., see Goh, J.W. (591) 165
Kaldas, R.S., see Duncan, G.E. (591) 181
Karler, R., see Finnegan, K.T. (591) 160
Kelly, M.E.M., see Goh, J.W. (591) 165
Keri, J.E., see Yao, J. (591) 88
Kerr, C.W. and Bishop, G.A.
The physiological effects of serotonin are mediated by the $5HT_{1A}$ receptor in the cat's cerebellar cortex (591) 253
Kirkman, J.A., see Duncan, G.E. (591) 181
Kleppisch, T., Klinz, F.-J. and Hescheler, J.
Insulin-like growth factor I modulates voltage-dependent Ca^{2+} channels in neuronal cells (591) 283
Klinz, F.-J., see Kleppisch, T. (591) 283

Larson, J., see Capocchi, G. (591) 332
Lee, M.-J., see Schipper, H.M. (591) 129
Lemaire, S., see Shukla, V.K. (591) 176
Li, B.-H., see Feasey-Truger, K.J. (591) 296
Li, J., Ji, Y.-P., Qiao, J.-T. and Dafny, N.
Suppression of nociceptive responses in parafascicular neurons by stimulation of substantia nigra: an analysis of related inhibitory pathways (591) 109

Liang, J.-j., see Schipper, H.M. (591) 129
Lim, R., see Wang, B.-R. (591) 1
Lin, J.S., Roussel, B., Akaoka, H., Fort, P., Debilly, G. and Jouvet, M.
Role of catecholamines in the modafinil and amphetamine induced wakefulness, a comparative pharmacological study in the cat (591) 319
Little, K.Y., see Duncan, G.E. (591) 181
Lodi, M., see Nemni, R. (591) 248
Lookingland, K.J., see Tian, Y. (591) 116
Luo, Y., see Stewart, M. (591) 122

Mallick, B.N. and Alam, M.N.
Different types of norepinephrinergic receptors are involved in preoptic area mediated independent modulation of sleep–wakefulness and body temperature (591) 8
Manzanares, J., see Tian, Y. (591) 116
Masserano, J.S., see Bowyer, J.F. (591) 261
Mauricette, R., see Schipper, H.M. (591) 129
Maywood, E.S., see Hastings, M.H. (591) 20
McGaugh, J.L., see Nagahara, A.H. (591) 54
Mead, S.M., see Hastings, M.H. (591) 20
Meldrum, B.S., see De Sarro, G. (591) 209
Mizukawa, K., see Ogawa, N. (591) 171
Moore, K.E., see Tian, Y. (591) 116
Mori, A., see Ogawa, N. (591) 171

Nagahara, A.H. and McGaugh, J.L.
Muscimol infused into the medial septal area impairs long-term memory but not short-term memory in inhibitory avoidance, water maze place learning and rewarded alternation tasks (591) 54
Nakanishi, A., see Bowyer, J.F. (591) 261
Nemni, R., Iannaccone, S., Quattrini, A., Smirne, S., Sessa, M., Lodi, M., Erminio, C. and Canal, N.
Effect of chronic treatment with recombinant interleukin-2 on the central nervous system of adult and old mice (591) 248

Ogawa, N., Asanuma, M., Mizukawa, K., Hirata, H., Chou, H. and Mori, A.
Post-ischemic administration of bifemelane hydrochloride prohibits ischemia-induced depletion of the muscarinic M_1-receptor and its mRNA in the gerbil hippocampus (591) 171
Oliveira, C.R., see Duarte, C.B. (591) 27

Patel, S., see De Sarro, G. (591) 209
Peers, C., see Wyatt, C.N. (591) 341
Pennefather, P.S., see Goh, J.W. (591) 165
Phillips, A.G., see Wood, E.R. (591) 151
Prasad, A. and Reynolds, J.N.
Uncoupling of GABA–benzodiazepine receptors in chick cerebral cortical neurons requires co-activation of both receptor sites (591) 327
Proudfit, H.K., see Clark, F.M. (591) 44

Qiao, J.-T., see Li, J. (591) 109
Quattrini, A., see Nemni, R. (591) 248

Reynolds, J.N., see Prasad, A. (591) 327
Richerson, G.B. and Getting, P.A.
Medullary respiratory neurons in the guinea pig: localization and firing patterns (591) 79
Robbins, R.J., see Brines, M.L. (591) 94
Roussel, B., see Lin, J.S. (591) 319

Santos, P.F., see Duarte, C.B. (591) 27
Sastry, B.R., see Xie, Z. (591) 239
Schipper, H.M., Mauricette, R., Liang, J.-j., Lee, M.-J. and Wang, E.
Expression of the non-proliferation-specific protein, statin, in grey matter neuroglia of the aging rat brain (591) 129
Sessa, M., see Nemni, R. (591) 248
Seybold, V.S., see Galeazza, M.T. (591) 198
Shukla, V.K., Bansinath, M., Dumont, M. and Lemaire, S.
Selective involvement of kappa opioid and phencyclidine receptors in the analgesic and motor effects of dynorphin-A-(1–13)-Tyr-Leu-Phe-Asn-Gly-Pro (591) 176
Sinha, A.K., Chi, O.Z. and Weiss, H.R.
Effect of pentobarbital on cerebral regional venous O_2 saturation heterogeneity (591) 146
Smirne, S., see Nemni, R. (591) 248
Spyer, K.M., see Izzo, P.N. (591) 69
Sterling, C., see Bowyer, J.F. (591) 261
Stewart, M., Luo, Y. and Fox, S.E.
Effects of atropine on hippocampal theta cells and complex-spike cells (591) 122
Stringer, J.L.
Amygdala stimulation produces two types of hippocampal afterdischarges in the urethane-anesthetized rat (591) 103
Stucky, C.L., see Galeazza, M.T. (591) 198
Stumpf, W.E., see Duncan, G.E. (591) 181
Sykes, R.M., see Izzo, P.N. (591) 69

Taffs, R.E., see Yao, J. (591) 88
Tan, H.S. and Collewijn, H.
Muscarinic nature of cholinergic receptors in the cerebellar flocculus involved in the enhancement of the rabbit's optokinetic response (591) 337
Tang, B., see Vigé, X. (591) 345
Tank, A.W., see Bowyer, J.F. (591) 261
Ten Bruggencate, G., see Feasey-Truger, K.J. (591) 296
Tian, Y., Eaton, M.J., Manzanares, J., Lookingland, K.J. and Moore, K.E.
Characterization of opioid receptor-mediated regulation of incertohypothalamic dopamine nerons: lack of evidence for a role of 5-hydroxytryptaminergic neurons in mediating the stimulatory effects of morphine (591) 116
Torkkeli, P.H., see Zhang, B.G. (591) 351

Urschel, B.A. and Hulsebosch, C.E.
Distribution and relative density of p75 nerve growth factor receptors in the rat brain as a function of age and treatment with antibodies to nerve growth factor (591) 223

Vigé, X., Tang, B. and Wise, B.C.
Cortical neurons inhibit basal and interleukin-1-stimulated astroglial cell secretion of nerve growth factor (591) 345
Vindlacheruvu, R.R., see Hastings, M.H. (591) 20

Wang, B.-R., Zaheer, A. and Lim, R.
Polyclonal antibody localizes glia maturation factor β-like immunoreactivity in neurons and glia (591) 1
Wang, E., see Schipper, H.M. (591) 129
Weiner, N., see Bowyer, J.F. (591) 261
Weiss, H.R., see Sinha, A.K. (591) 146
Wise, B.C., see Vigé, X. (591) 345
Wood, E.R., Coury, A., Blaha, C.D. and Phillips, A.G.
Extracellular dopamine in the rat striatum during ischemia and reperfusion as measured by in vivo electrochemistry and in vivo microdialysis (591) 151
Wyatt, C.N. and Peers, C.
Modulation of ionic currents in isolated type I cells of the neonatal rat carotid body by *p*-chloromercuribenzenesulfonic acid (591) 341

Xie, Z. and Sastry, B.R.
Actions of somatostatin on GABA-ergic synaptic transmission in the CA1 area of the hippocampus (591) 239

Yao, J., Keri, J.E., Taffs, R.E. and Colton, C.A.
Characterization of interleukin-1 production by microglia in culture (591) 88
Yee, G.J., see Cummings, B.J. (591) 271

Zaheer, A., see Wang, B.-R. (591) 1
Zampolini, M., see Capocchi, G. (591) 332
Zhang, B.G., Torkkeli, P.H. and French, A.S.
Octopamine selectively modifies the slow component of sensory adaptation in an insect mechanoreceptor (591) 351